




Sonata[®] 5300 Rechargeable Lithium-ion Cell

Boston-Power's Sonata 5300 is a high performance lithium-ion rechargeable cell. Its exceptional energy density, industry-leading cycle life, fast charge capability, and industry leading safety features make the Sonata 5300 an ideal solution for industrial, medical, military, notebook computer sensor, and other portable power applications.

Specifications




| | | |
|-----------------------------------|-----------------------|---------------------|
| Nominal capacity ¹ | 5300 mAh | |
| Nominal energy ¹ | 19.3 Wh | |
| Nominal voltage | 3.65 V | |
| Energy density | Gravimetric | 202 Wh/kg |
| | Volumetric | 490 Wh/L |
| Nominal cell impedance (1kHz, AC) | 23 mΩ | |
| Cycle life to 80% capacity | >1000 cycles | |
| Standard charging method | Constant current (CC) | 3.7A (0.7C) to 4.2V |
| | Constant voltage (CV) | 4.2V to 50 mA |
| Recommended fast charge | 8.0A (1.5C) to 4.2V | |
| Nominal cell weight | 95 g | |
| Operating temperature | Charge | -20 to 60°C |
| | Discharge | -40 to 70°C |
| Storage temperature | -40 to 60°C | |

Certifications


UN 38.3, UL1642, IEC62133, Directive 2006/66/EC, ROHS 2002/95/EC
In process: Nordic Ecolabel

Cycle Life at 100% Depth of Discharge (DOD)




¹ Standard discharge 0.2C to 2.75 V


Discharge Capacity



Temperature Discharge Curve (0.5C)



Charge Curve (0.7C)



Temperature: 23°C ± 2°C
Standard Charge

BPI.DS.SNT5300_0312

BOSTON-POWER DATA SHEET: SONATA 5300

www.boston-power.com

USA
Boston-Power, Inc.
2200 West Park Drive
Westborough, MA 01581-3961, USA
Phone: +1.508.366.0885

China
Boston-Power Battery (Shenzhen) Co., Ltd.
Jinrun Bldg., Tairan 9th Rd.
CheGongMiao, Futian District
Shenzhen 518040, China

Taiwan
Boston-Power Battery
(Taiwan) Co., Ltd.
89 Song Ren Road, Suite 11C
Taipei, 110, Taiwan

Performance may vary depending on, but not limited to cell usage and application. If cells are used outside specifications, performance may diminish. All specifications are subject to change without notice. Some data reflects expected performance for product in development. All information provided herein is believed, but not guaranteed to be accurate.

©2011, Boston-Power, Inc. All rights reserved. No portion of this material may be copied or reproduced, in any manner, without the express written consent of Boston-Power. The Boston-Power logo, Swing, Sonata, Swing Tempo and Swing Key are all trademarks or registered trademarks of Boston-Power, Inc. which retains sole rights to their use.